



Medical Devices: FDAs Premarket Review and Postmarket Safety Efforts: Gao-11-556t

By -

Bibliogov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 26 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. The Food and Drug Administration (FDA) is responsible for overseeing medical devices sold in the United States. In general, new devices are subject to FDA review via either the 510(k) premarket notification process, which determines if a device is substantially equivalent to another legally marketed device, or the more stringent premarket approval (PMA) process, which requires the manufacturer to supply evidence providing reasonable assurance that the device is safe and effective. FDA also has broad responsibilities for postmarket surveillance of devices, including oversight of recalls. A recall involves the correction or removal of a product from the market and is an important remedial action that can mitigate the risks associated with a defective or unsafe medical device. In recent years, GAO has identified a wide variety of concerns related to FDA's ability to fulfill its mission of protecting the public health and added FDA's oversight of medical products, including devices, to its list of high-risk areas. This statement provides an update on FDA's actions in response to a recommendation made in GAO's report, Medical Devices: FDA Should Take Steps to Ensure...



READ ONLINE
[7.3 MB]

Reviews

This type of book is almost everything and helped me hunting forward and more. I was able to comprehend almost everything using this published e pdf. Once you begin to read the book, it is extremely difficult to leave it before concluding.

-- **Edwardo Ziemann**

This publication is great. It really is packed with knowledge and wisdom Your daily life period will probably be transform when you complete reading this article book.

-- **Wilford Metz**

Other eBooks



Molly on the Shore, BFMS 1 Study score

Petrucchi Library Press. Paperback. Book Condition: New. Paperback. 26 pages. Dimensions: 9.7in. x 6.9in. x 0.3in. Percy Grainger, like his contemporary Bela Bartok, was intensely interested in folk music and became a member of the English Folk-Song Society soon after his arrival in...



Yearbook Volume 15

RareBooksClub. Paperback. Book Condition: New. This item is printed on demand. Paperback. 58 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. This historic book may have numerous typos and missing text. Purchasers can usually download a free scanned copy of the original book (without...



When Santa Claus Prayed

Xulon Press. Paperback. Book Condition: New. Paperback. 28 pages. Dimensions: 9.0in. x 8.1in. x 0.3in. Dad, youre wrong about Santa Claus! I cant sit on baby Jesuss lap or even see him! I cant send letters to Jesus! Santa Claus is the star...



TJ new concept of the Preschool Quality Education Engineering the daily learning book of: new happy learning young children (3-5 years) Intermediate (3)(Chinese Edition)

paperback. Book Condition: New. Ship out in 2 business day, And Fast shipping, Free Tracking number will be provided after the shipment. Paperback. Pub Date :2005-09-01 Publisher: Chinese children before making Reading: All books are the Youth Pre-employment Training software download generated pictures...



TJ new concept of the Preschool Quality Education Engineering the daily learning book of: new happy learning young children (2-4 years old) in small classes (3)(Chinese Edition)

paperback. Book Condition: New. Ship out in 2 business day, And Fast shipping, Free Tracking number will be provided after the shipment. Paperback. Pub Date :2005-09-01 Publisher: Chinese children before making Reading: All books are the Youth Pre-employment Training software download generated pictures...



Coronation Mass, K. 317 Vocal Score Latin Edition

Petrucchi Library Press. Paperback. Book Condition: New. Paperback. 56 pages. Dimensions: 9.6in. x 6.7in. x 0.1in. Otto Taubmanns classic vocal score of Mozarts Coronation Mass was first issued in the early 20th century and has become the standard edition in continuous use by...